

# The ttSizeOra utility

## Contents

1. Overview
2. Prerequisites
3. Data Type Mapping
4. Usage Example
5. Detailed Syntax and Description
6. Caveats and Limitations
7. Changes in this release
8. Known Issues

## 1. Overview

ttSizeOra examines a table in an Oracle database and provides an estimate of the memory that would be required for the table, its metadata and its indexes, if the table were to be imported into a TimesTen database.

Options are provided to control various aspects of the sizing estimate and the information that is reported.

The main features provided by ttSizeOra are:

- Generates an accurate memory sizing estimate thereby facilitating capacity planning prior to any actual data movement.
- The sizing estimate is based on an understanding of how certain Oracle data types are mapped to equivalent TimesTen data types.
- The estimate can also optionally take into account memory savings from applying data type mapping of suitable NUMBER columns to TimesTen native integer types.
- Allows control over the boundary that determines if variable length columns are stored `INLINE` or `NOT INLINE` in TimesTen, which affects the overall memory usage.
- Allows the user to specify the TimesTen range index type (B-tree or T-tree) to be used when estimating index sizes. The default is B-tree.
- Analyzes the Oracle table data to determine the row count and the average utilization of variable length columns.
- Row count and/or variable length column utilization can be specified on the command line to override the automatically determined values (which may also avoid the need to analyze the data in the Oracle database).
- Two levels of output detail.

- Supported on a wide range of platforms:

Microsoft Windows x86 64 bit  
Linux x86 64 bit  
macOS 64-bit

- Supports Oracle database 11g, 12c, 18c, 19c and 21c. Support for 12c and upwards has some caveats (see the section on **Known Issues**).

This utility is not an official production utility and support will be provided on a 'best effort' basis. The most up to date version of this utility can always be found on the TimesTen downloads page here: <https://www.oracle.com/downloads/samplecode/otsu-samplecode-downloads.html>

Here is a summary of the command syntax.

Estimate size of table and indexes when imported into TimesTen

Usage:

```
ttSizeOra [-h | -help | -?]
```

```
ttSizeOra [-V | -version]
```

```
ttSizeOra  -oraConn ouser[/opasswd][@oserver]
           -tbl [owner.]tablename
           [-rows r]
           [-frac f]
           [-typeMap | -noTypeMap]
           [-inlineLimit n]
           [-parallel dop]
           [-btree | -ttree]
           [-verbose]
```

## 2. Prerequisites

In order to use this utility, you must ensure that the following prerequisites are met:

- The Oracle Database version must be at least 11.2.2. Older versions are not supported.
- The system where you plan to run the utility must be using a supported operating system.
- The system where you plan to run the utility must have a suitable Oracle Client installed (the Instant Client is sufficient) and the client must be configured for connectivity to the Oracle database.
- When running the utility, you should ensure that your shell environment is properly set (PATH, LD\_LIBRARY\_PATH [or equivalent], etc.)

## 3. Data Type Mapping

When moving tables from an Oracle database to a TimesTen database, some degree of storage 'inflation' is typically observed due to the differing internal storage architectures of the databases.

Given that memory capacity is typically much more constrained than disk capacity it is very important to try and minimize memory usage especially when data volumes are very large.

When moving tables and their data from an Oracle database to a TimesTen database it is commonplace, and in some cases mandatory, to use different data types for certain columns in TimesTen compared to the Oracle database.

ttSizeOra understands the mandatory type mappings and will apply those automatically when computing the sizing estimate. In addition, it allows you to optionally enable numeric type mapping to achieve further memory savings by mapping NUMBER columns defined with a zero scale to the appropriate TimesTen native integer type. TimesTen native integer types are generally more space efficient than NUMBER types, and also provide better performance. Numeric type mapping is controlled by the **-typeMap** / **-noTypeMap** command line options; **-noTypeMap** is the default.

If a detailed output report is requested (by specifying the **-verbose** command line option) then details of all type mapped columns, both mandatory and optional, will be included in the sizing report.

For more details on data type mapping, see the documentation for the **ttImportFromOracle** utility.

## 4. Usage Example

In this section I present a step by step usage example. It is a very simple one but hopefully it serves to illustrate how the utility is used. The typical sequence of steps is as follows:

1. Determine access information (user, password, hostname, port, service name etc.) for the Oracle database.
2. Make sure that the system where you intent to run ttSizeOra has a functioning Oracle client installation (the Oracle InstantClient is sufficient). Configure the client installation so that it can connect to the target Oracle database and verify this using SQL\*Plus.
3. Obtain the correct ttSizeOra binary for your platform by downloading it from oracle.com (see the Overview section above). Place the binary somewhere where you can easily run it from and be sure to set the permissions to make it executable (Unix or Linux platforms only).
4. Identify the tables for which you wish to obtain sizing estimates.
5. Decide which sizing and reporting options you wish to use (may differ from table to table).
6. Run ttSizeOra for each table, saving the results in a file.
7. Examine the file and use the estimates therein to size the TimesTen database.

In the rest of this section, I take a more detailed look at each of these steps and provide examples.

In this example, the Oracle database server is accessed by TNS name 'MYDB'. The TNS entry, as configured in the client TNSNAMES.ORA file, looks like this:

```
MYDB =
  (DESCRIPTION =
    (ADDRESS =
      (PROTOCOL = TCP) (HOST = ol8-odb1.oracle.net) (PORT = 1521))
```

```

(CONNECT_DATA =
  (SERVER = DEDICATED)
  (SERVICE_NAME = orcl)
)
)

```

As for any Oracle application, the TNS\_ADMIN environment variable should be set to point to the directory containing the TNSNAMES.ORA file before running the utility (if TNS name resolution is the desired method for accessing the Oracle Database server). ttSizeOra also supports the use of Oracle 'Easy Connect' syntax (serverhostname:portno/dbserviceName) for accessing the Oracle database.

In this example, the credentials to access the Oracle database are username 'scott' and password 'tiger'. User scott has the following tables, indexes and data:

```

CREATE TABLE PARENTTAB
(
  P_PK          NUMBER(10,0) NOT NULL,
  P_C1          NUMBER,
  P_C2          DATE NOT NULL,
  P_C3          VARCHAR2(200),
  P_C4          NVARCHAR2(1000),
  CONSTRAINT CP_PK PRIMARY KEY ( P_PK )
);

CREATE UNIQUE INDEX P_IX1 ON PARENTTAB( P_C1 );

CREATE INDEX P_IX2 ON PARENTTAB( P_C2 );

INSERT INTO PARENTTAB VALUES (1, 10, '2012-12-01', 'ABCDE', 'ABCDE');
INSERT INTO PARENTTAB VALUES (2, 20, '2012-12-02', NULL, 'A');
INSERT INTO PARENTTAB VALUES (3, 30, '2012-12-03', 'ABCDEFGHIJKLMNPOQRSTUVWXYZ', NULL);
INSERT INTO PARENTTAB VALUES (4, 40, '2012-12-04', 'ABC', 'ABCDEFGHIJKLMNPOQRSTUVWXYZ');
INSERT INTO PARENTTAB VALUES (5, 50, '2012-12-05', 'ABCDE', NULL);

CREATE TABLE CHILDTAB
(
  C_PK          NUMBER(6,0) NOT NULL,
  C_FK          NUMBER(10,0),
  C_C1          VARCHAR2(255),
  CONSTRAINT CC_PK PRIMARY KEY ( C_PK ),
  CONSTRAINT CC_FK FOREIGN KEY ( C_FK )
    REFERENCES PARENTTAB( P_PK )
);

INSERT INTO CHILDTAB VALUES ( 1, 3, 'ZZZ' );
INSERT INTO CHILDTAB VALUES ( 2, 2, NULL );
INSERT INTO CHILDTAB VALUES ( 3, 5, 'ABCDEFGHIJKLMNPOQRST' );

```

First let us run ttSizeOra with default options to analyze these two tables and generate sizing information.

```
$ ttSizeOra -oraConn scott/tiger@mydb -tbl parenttab
```

```
Rows = 5
```

```
Total in-line row bytes = 23595
```

```
Out-of-line columns:
```

```
Column P_C3          total          200      avg size      40
```

```
Column P_C4                total      110    avg size    22
Total out-of-line column bytes = 310
```

Indexes:

```
B-tree range index SCOTT.CP_PK adds 5170 bytes
B-tree range index SCOTT.P_IX1 adds 6194 bytes
B-tree range index SCOTT.P_IX2 adds 5170 bytes
Total index bytes = 16534
```

Total = 40439

```
$ ttSizeOra -oraConn scott/tiger@mydb -tbl childtab
Rows = 3
```

Total in-line row bytes = 14773

Out-of-line columns:

```
Column C_C1                total      144    avg size    48
Total out-of-line column bytes = 144
```

Indexes:

```
B-tree range index SCOTT.CC_PK adds 5170 bytes
B-tree range index SCOTT.CC_FK adds 5170 bytes
Total index bytes = 10340
```

Total = 25257

**Now let's repeat the exercise specifying numeric type mapping, the use of T-tree indexes and requesting detailed output:**

```
$ ttSizeOra -oraConn scott/tiger@mydb -tbl parenttab -typemap -ttree -verbose
Column type mappings:
P_PK: NUMBER(10,0) -> TT_BIGINT
```

Rows = 5

Total in-line row bytes = 23595

Out-of-line columns:

```
Column P_C3                total      200    avg size    40
Column P_C4                total      110    avg size    22
Total out-of-line column bytes = 310
```

Indexes:

```
T-tree range index SCOTT.CP_PK adds 4074 bytes
  (as a B-tree index would be 5170 bytes)
  (as a Hash index would be 2874 bytes)
T-tree range index SCOTT.P_IX1 adds 4074 bytes
  (as a B-tree index would be 6194 bytes)
  (as a Hash index would be 3114 bytes)
T-tree range index SCOTT.P_IX2 adds 4074 bytes
  (as a B-tree index would be 5170 bytes)
  (as a Hash index would be 2922 bytes)
Total index bytes = 12222
```

Total = 36127

```
$ ttSizeOra -oraConn scott/tiger@mydb -tbl childtab -typemap -ttree -verbose
Column type mappings:
C_PK: NUMBER(6,0) -> TT_INTEGER
C_FK: NUMBER(10,0) -> TT_BIGINT
```

Rows = 3

Total in-line row bytes = 14773

Out-of-line columns:

Column C_C1	total	144	avg size	48
-------------	-------	-----	----------	----

Total out-of-line column bytes = 144

Indexes:

T-tree range index SCOTT.CC\_PK adds 4074 bytes  
(as a B-tree index would be 5170 bytes)  
(as a Hash index would be 2874 bytes)  
T-tree range index SCOTT.CC\_FK adds 4074 bytes  
(as a B-tree index would be 5170 bytes)  
(as a Hash index would be 2922 bytes)  
Total index bytes = 8148

Total = 23065

And we are done!

## 5. Detailed Syntax and Description

Estimate size of table and indexes when imported into TimesTen

Usage:

ttSizeOra [-h | -help | -?]

ttSizeOra [-V | -version]

ttSizeOra -oraConn *ouser*[/*opasswd*][@*oserver*]  
-tbl [*owner.*]*tablename*  
[-rows *r*]  
[-frac *f*]  
[-typeMap | -noTypeMap]  
[-inlineLimit *n*]  
[-parallel *dop*]  
[-btree | -ttree]  
[-verbose]

Options:

-h or -help or -?

Display this help information.

-V or -version

Display program version information.

-oraConn *ouser*[/*opasswd*][@*oserver*]

Specifies connection credentials for the source Oracle database.

*ouser* - The Oracle username.

*opasswd* - The password for '*ouser*'. If this is omitted the user will be prompted for the password.

*oserver* - Identifies the source Oracle database server. This value may be a TNS name or an Easy Connect string

in the format 'hostname:portno/dbservice'.  
'oserver' may be omitted if you are connecting  
locally to the default database.

`-tbl [owner.]tablename`

Specifies the Oracle database table for which sizing is to be estimated.

`-rows r`

Specifies the expected number of rows in the table. 'r' must be > 0. If this option is omitted, the utility uses the number of rows in the existing table to estimate the size, or 1 row if the table is empty.

`-frac f`

Specifies the estimated average fraction of VARCHAR or VARBINARY column sizes that will be used.  $0 \leq f \leq 1.0$ . If this option is omitted and the table contains variable sized columns, a table scan is performed to determine the average sizes. If the table is empty, the fraction is estimated to be 0.5 (50%) filled for all variable length columns.

`-typeMap | -noTypeMap`

Controls whether numeric type mapping is applied when sizing. If type mapping is selected then columns with NUMBER type are mapped, where possible, to the appropriate TimesTen native integer type. The default is `-noTypeMap`.

`-inlineLimit n`

Specifies the value to be used to decide if variable length columns will be stored inline or out of line.

n - VARCHAR2 and NVARCHAR2 columns whose maximum defined size exceeds 'n' bytes will be stored NOT INLINE otherwise they will be stored INLINE. The minimum allowed value is 0 (always store NOT INLINE), the maximum value is 32768 and the default is 128.

`-parallel dop`

Specifies the degree of parallelism used when querying the source database in the analysis phase.

dop - The degree of parallelism used for source table analysis scans. Values can be in the range 0 to 128 (0 or 1 means do not use parallel scan). The default is to use the default degree of parallelism defined in the source database.

`-btree | -ttree`

Specifies whether range indexes should be considered to be B-trees or T-trees. The default is B-trees.

`-verbose`

If not specified then only basic sizing information is displayed.

When specified, details of any type mapped columns are output as well as sizing information for alternate index types.

## 6. Caveats and Limitations

There are many significant differences between the Oracle database and the TimesTen database, thus there are many DDL related features available in the Oracle database that cannot be exactly mapped to a TimesTen database. When ttSizeOra encounters something that cannot be sensibly mapped it will make some assumptions, output a warning message detailing those, and proceed with the sizing estimate.

The list below highlights some of the more important caveats and limitations but it is not guaranteed to be a complete or definitive list.

1. The Oracle Database Extended Types feature (12c and later) is not supported. The utility will refuse to run against an Oracle database configured with `MAX_STRING_SIZE = 'EXTENDED'`.
2. The only database objects that can be sized are tables, materialized views, unique constraints, primary key constraints, foreign key constraints and indexes. No other object types are supported.
3. Materialized views are sized as if they are tables.
4. Columns in Oracle database tables with data types not supported by TimesTen (user defined types and XML types for example) will not be included in the sizing estimate. A warning will be emitted, and they will be ignored.
5. TimesTen does not support the data type `TIMESTAMP WITH TIMEZONE`. When this type of column is imported it is not possible to import the timezone information which is therefore lost (a warning is emitted); the column is treated as a regular `TIMESTAMP` type.
6. Only regular and bitmap indexes are considered. All other types of index are ignored.
7. Only constraints in an `ENABLED`, `VALIDATED` state will be considered.
8. Only indexes in `VALID`, `VISIBLE` state will be considered.
9. Oracle database allows 'duplicate' indexes (same set of columns in the same order) to be created on a table while TimesTen does not. ttSizeOra will ignore all except one of any duplicate indexes.

## 7. Changes in this release

### Changes for release 1.2.0 from release 1.1.1

- Updated build OS and compiler versions to address compatibility issues with newer OS versions.
- Reduced the set of supported platforms.

### Changes for release 1.1.1 from release 1.1.0



- Changed the default TimesTen index type to B-tree.
- Added support for Oracle database 12c and later (non-extended type mode only).
- Reduced the list of supported platforms (dropped all 32-bit platforms).

#### **Changes for release 1.1.0 from release 1.0.0**

- Added support for Mac OS X 64-bit. This requires the use of the TimesTen 11.2.2.7.8 (or later) 64-bit client. Mac OS X 32-bit is still supported using the TimesTen 11.2.1 32-bit client.

#### **Release 1.0.0**

- Initial release

### **8. Known Issues**

- None at this time.