ORACLE

Supported IO Cards in SPARC S7 and Netra SPARC S7-2 Servers

The following table lists I/O cards that are supported in the servers. Some of these cards may have passed their Last Order Date (LOD). For more information, see the <u>Product Manuals</u>.

IO CARD	PART NUMBER	MAX QUANTITY		
		S7-2	S7-2L	NETRA S7-2
Ethernet Adapters				
Sun Quad Port GbE PCle 2.0 Low Profile Adapter, UTP	7100477	3	6	4
Oracle Quad Port 10GBase-T Adapter	7111181	3	6	4
Sun Dual Port 10GBase-T Adapter	7100488	3	4	-
Oracle Quad Port 10GBase-T Adapter	7111181	3	4	4
Sun Dual 10GbE SFP+ PCle Low Profile Adapter	X1109A-Z	3	6	2
Oracle Dual Port 25 Gb Ethernet Adapter	7118016	3	4	-
Oracle Quad 10Gb or Dual 40Gb Ethernet Adapter	7114134	3	6	2
Fibre Channel HBAs				
Oracle Storage Dual-Port 16 Gb or 32 Gb Fibre Channel PCIe HBA, Emulex	7115461	3	6	-
Oracle Storage Dual-Port 16 Gb or 32 Gb Fibre Channel PCIe HBA, Qlogic	7115462	3	6	-
Sun Storage 16 Gb Fibre Channel PCle Universal HBA, Emulex	7101684	3	6	4
2 Sun Storage 16Gb FC optics, SR, Emulex	7101686	3	6	4
Sun Storage 16 Gb Fibre Channel PCle Universal HBA, Qlogic	7101674	3	6	4
2 Sun Storage 16Gb FC optics, SR, Qlogic	7101676	3	6	4
2 Sun Storage 10Gb FCoE optics, SR, Qlogic	7101678	3	6	4

¹ Supported IO Cards in SPARC S7 and Netra SPARC S7-2 Servers



Flash Storage				
One 1.6 TB 2.5-inch NVMe PCle 3.0 SSD mix-use with Marlin bracket	7110927	4	4 or 12	-
One 3.2TB 2.5-inch NVMe PCle 3.0 SSD mix-use with Marlin bracket	7113805	4	4 or 12	4
One 6.4 TB 2.5-inch NVMe PCle 3.0 SSD with marlin bracket	7115457	4	4 or 12	-
One 6.4 TB 2.5-inch NVMe PCle 3.0 SSD v2 with marlin bracket	7120558	4	4 or 12	-
Oracle Flash Accelerator F160 PCle Card: 1.6 TB, NVMe PCle 3.0	7110865	3	6	4
Oracle Flash Accelerator F320 PCle Card: 3.2 TB, NVMe PCle 3.0	7113826	3	6	4
Oracle Flash Accelerator F640 PCle Card: 6.4 TB, NVMe PCle 3.0	7115457	2	6	-
Oracle Flash Accelerator F640 PCle Card v2: 6.4 TB, NVMe PCle 3.0	7120562	-	6	-
SAS Host Bus Adapter				
Sun Storage 12 Gb SAS PCle HBA, internal	7113249	1	1	-
Oracle storage 12Gb SAS PCIe RAID HBA, internal: 8 port and 1Gb memory	7110117	-	-	1
Oracle Storage 12 Gb SAS PCIe HBA, external: 8 port	7110119	3	6	2
InfiniBand				
Oracle Dual Port QDR Infiniband Adapter M3	7104074	2	2	-

Connect with us

Call +1.800.ORACLE1 or visit oracle.com. Outside North America, find your local office at: oracle.com/contact.



facebook.com/oracle



twitter.com/oracle

Copyright © 2021, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied $% \left(1\right) =\left(1\right) \left(1\right)$ warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 0120.