



ORACLE® ENTERPRISE PERFORMANCE MANAGEMENT SYSTEM

*Release 11.1.2*

EPM SYSTEM RELEASE 11.1.2.X ON ORACLE  
EXALYTICS IN-MEMORY MACHINE



CONTENTS IN BRIEF

<a href="#">EPM System Release 11.1.2.3 on Oracle Exalytics In-Memory Machine</a>	<a href="#">2</a>
<a href="#">EPM System Release 11.1.2.2 on Oracle Exalytics In-Memory Machine</a>	<a href="#">14</a>

# EPM System Release 11.1.2.3 on Oracle Exalytics In-Memory Machine

## Subtopics

- [EPM System Release 11.1.2.3 Certification on Oracle Exalytics In-Memory Machine](#)
- [Using Planning Release 11.1.2.3 on Oracle Exalytics In-Memory Machine](#)
- [Using Profitability and Cost Management Release 11.1.2.3 on Oracle Exalytics In-Memory Machine](#)
- [Building a full Essbase, Financial Management, and Planning Release 11.1.2.3 Deployment on Oracle Exalytics In-Memory Machine](#)
- [Supported EPM System Release 11.1.2.x Products and the Deployment Model for Oracle Exalytics In-Memory Machine T5-8 with Solaris](#)
- [Using Planning Release 11.1.2.3 on Oracle Exalytics In-Memory Machine T5-8](#)

## EPM System Release 11.1.2.3 Certification on Oracle Exalytics In-Memory Machine

All Oracle Enterprise Performance Management System Release 11.1.2.3 components that are supported on the Linux platform have been certified on Oracle Exalytics In-Memory Machine.

The components supported on Oracle Exalytics include Planning, Public Sector Planning and Budgeting, Workforce Planning, Capital Asset Planning, Performance Scorecard, Profitability and Cost Management, Financial Close Management, Disclosure Management, FDMEE, Essbase, Financial Reporting, Interactive Reporting, Web Analysis, and SQR Production Reporting.

**Note:** Financial Reporting, Web Analysis, FDMEE, Account Reconciliation, Financial Close Management, Disclosure Management, and SOA are supported only on the Windows platform when used with Financial Management.

For specific details about individual components, please refer to the *System Requirements and Supported Platforms for Oracle Enterprise Performance Management System*, available on the [Oracle Fusion Middleware Supported System Configurations](#) page.

## Using Planning Release 11.1.2.3 on Oracle Exalytics In-Memory Machine

The following Oracle Hyperion Planning Suite components are certified to run on Oracle Exalytics In-Memory Machine:

- Oracle Essbase Server
- Oracle HTTP Server
- Oracle Hyperion Provider Services

- Oracle Hyperion Calculation Manager
- Oracle Essbase Administration Server
- Oracle Hyperion Shared Services
- Oracle Hyperion Enterprise Performance Management Workspace
- Oracle Hyperion Planning
- Oracle Hyperion Financial Reporting
- Oracle Hyperion Web Analysis

For complete list of certified EPM System components on Oracle Exalytics, see the Certification Matrix located at <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

To build a vertically clustered Planning Suite solution on Oracle Exalytics:

1. Use EPM System Installer Release 11.1.2.3 to install the following components:
  - Foundation Services Web applications
  - Calculation Manager Web application
  - Essbase Administration Services Web application
  - Provider Services Web application
  - Reporting and Analysis Framework Services and Web application
  - Planning Web application
  - Financial Reporting Web application
  - Essbase Server
  - Oracle HTTP Server

**Note:** You must install these components in a different Middleware Home from the Oracle Business Intelligence Enterprise Edition software, if already installed on the machine.

2. Download and apply EPM System patch 16831604.
3. For the first instance, use EPM System Configurator to create a new domain and instance, and deploy the components you installed.
4. When configuring the second and subsequent instances on this machine:
  - a. Specify a unique instance folder that does not duplicate existing instances on the server.
  - b. Use the same Shared Services Registry database.
  - c. Use the same domain.
  - d. For each of the following Web applications, review the ports to ensure that they do not conflict with any other applications. Oracle Hyperion Enterprise Performance Management System Configurator automatically configures them so they do not conflict with other instances that are already configured.
    - Calculation Manager Web application

- Essbase Administration Services Web application
- Provider Services Web application
- Reporting and Analysis Framework Web application
- Planning Web application

The Planning RMI port stays the same, so it does not need to change for additional clusters.

- Financial Reporting Web application

Change the port range field settings on the Financial Reporting – Configure RMI Ports panel in EPM System Configurator.

The following port ranges should not be used: 9500 – 9999, 53396 – 53397. These ports are used by default in Oracle BI EE deployments.

After configuration, the deployment report should look something like this:

```

myServer.myDomain (verticalScaling1 - Linux x64 - 722 GB - 80 Cores)
  Essbase (EssbaseCluster-1):14231,32768-33768
  Foundation Agent - Reporting and Analysis Framework:42001-42006,6860,6861
  OHS:19000
  Planning RMI Registry:22444
  WebLogic - AdminServer:7001 - DTEDomain - Console
  WebLogic - AnalyticProviderServices0:13080 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - CalcMgr0:8500 - DTEDomain - Calculation Manager Web Application
  WebLogic - EssbaseAdminServices0:10080 - DTEDomain - Essbase Administration Services Web Application
  WebLogic - FinancialReporting0:8200 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices0:28080 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices0:28080 - DTEDomain - Workspace Web Application
  WebLogic - Planning0:8300 - DTEDomain - Planning Web Application
  WebLogic - RaFramework0:45000 - DTEDomain - Reporting & Analysis Web Application
  WebLogic - WebAnalysis0:16000 - DTEDomain - Web Analysis Web Application
myServer.myDomain (verticalScaling2 - Linux x64 - 722 GB - 80 Cores)
  Foundation Agent - Reporting and Analysis Framework:42011-42016,6862,6863
  WebLogic - AnalyticProviderServices1:13081 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - CalcMgr1:8501 - DTEDomain - Calculation Manager Web Application
  WebLogic - EssbaseAdminServices1:10081 - DTEDomain - Essbase Administration Services Web Application
  WebLogic - FinancialReporting1:8302 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices1:28081 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices1:28081 - DTEDomain - Workspace Web Application
  WebLogic - Planning1:8301 - DTEDomain - Planning Web Application
  WebLogic - RaFramework1:45100 - DTEDomain - Reporting & Analysis Web Application
  WebLogic - WebAnalysis1:16100 - DTEDomain - Web Analysis Web Application
myServer.myDomain (verticalInstance3 - Linux x64 - 722 GB - 80 Cores)
  Foundation Agent - Reporting and Analysis Framework:42021-42026,6864,6865
  WebLogic - AnalyticProviderServices2:13082 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - CalcMgr2:8502 - DTEDomain - Calculation Manager Web Application
  WebLogic - EssbaseAdminServices2:10082 - DTEDomain - Essbase Administration Services Web Application
  WebLogic - FinancialReporting2:8304 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices2:28082 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices2:28082 - DTEDomain - Workspace Web Application
  WebLogic - Planning2:8303 - DTEDomain - Planning Web Application
  WebLogic - RaFramework2:45101 - DTEDomain - Reporting & Analysis Web Application
  WebLogic - WebAnalysis2:16101 - DTEDomain - Web Analysis Web Application

```

5. After configuration is complete:
  - a. Edit `Essbase.cfg` and add the line: `ORACLEHARDWAREACCELERATION TRUE`.
  - b. Return to the first instance and configure the Web server.
6. In each `EPM_ORACLE_INSTANCE/bin`, use `start.sh` to start all services.
7. Run EPM System Diagnostics to confirm that everything is in working order.

## Using Profitability and Cost Management Release 11.1.2.3 on Oracle Exalytics In-Memory Machine

The following Profitability and Cost Management components are certified to run on Oracle Exalytics In-Memory Machine:

- Oracle Essbase Server
- Oracle HTTP Server
- Oracle Hyperion Provider Services
- Oracle Essbase Administration Server
- Oracle Hyperion Shared Services
- Oracle Hyperion EPM Workspace
- Oracle Hyperion Profitability and Cost Management
- Oracle Hyperion Financial Reporting

For complete list of certified EPM System components on Oracle Exalytics, see the Certification Matrix located at <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

To build a vertically clustered Profitability and Cost Management Suite solution on Oracle Exalytics:

1. Use EPM System Installer Release 11.1.2.3 to install the following components:
  - Foundation Services Web applications
  - Essbase Administration Services Web application
  - Provider Services Web application
  - Reporting and Analysis Framework services and Web application
  - Profitability and Cost Management Web application
  - Financial Reporting Web application
  - Essbase Server
  - Oracle HTTP Server

**Note:** You must install these components in a different Middleware Home from the Oracle BI EE software, if already installed on the machine.

2. Download and apply EPM System patch 16831604.
3. For the first instance, use EPM System Configurator to create a new domain and instance, and deploy the components you installed.
4. When configuring the second and subsequent instances on this machine:
  - a. Specify a unique instance folder that does not duplicate existing instances on the server.
  - b. Use the same Shared Services Registry database.
  - c. Use the same domain.
  - d. For each of the following Web applications, review the ports to ensure that they do not conflict with any other applications. EPM System Configurator automatically configures them so they do not conflict with other instances that are already configured.
    - Essbase Administration Services Web application
    - Provider Services Web application
    - Reporting and Analysis Framework Web application
    - Profitability and Cost Management Web application
    - Financial Reporting Web application

Change the port range field settings on the Financial Reporting – Configure RMI Ports panel in EPM System Configurator.

The following port ranges should not be used: 9500 – 9999, 53396 – 53397. These ports are used by default in Oracle BI EE deployments.

After configuration, the deployment report should look something like this:

```

myServer.myDomain (verticalScaling1 - Linux x64 - 722 GB - 80 Cores)
  Essbase (EssbaseCluster-1):14231,32768-33768
  Foundation Agent - Reporting and Analysis Framework:42001-42006,6860,6861
  OHS:19000
  Planning RMI Registry:22444
  WebLogic - AdminServer:7001 - DTEDomain - Console
  WebLogic - AnalyticProviderServices0:13080 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - FinancialReporting0:8200 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices0:28080 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices0:28080 - DTEDomain - Workspace Web Application
  WebLogic - Profitability0:6756 - DTEDomain - Profitability Web Application
  WebLogic - RaFramework0:45000 - DTEDomain - Reporting & Analysis Web
myServer.myDomain (verticalScaling2 - Linux x64 - 722 GB - 80 Cores)
  Foundation Agent - Reporting and Analysis Framework:42011-42016,6862,6863
  WebLogic - AnalyticProviderServices1:13081 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - FinancialReporting1:8302 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices1:28081 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices1:28081 - DTEDomain - Workspace Web
  WebLogic - Profitability1:6757 - DTEDomain - Profitability Web Application
  WebLogic - RaFramework1:45100 - DTEDomain - Reporting & Analysis Web Application
myServer.myDomain (verticalInstance3 - Linux x64 - 722 GB - 80 Cores)
  Foundation Agent - Reporting and Analysis Framework:42021-42026,6864,6865
  WebLogic - AnalyticProviderServices2:13082 - DTEDomain - Essbase Provider Services Web Application
  WebLogic - FinancialReporting2:8304 - DTEDomain - Financial Reporting Web Application
  WebLogic - FoundationServices2:28082 - DTEDomain - Shared Services Web Application
  WebLogic - FoundationServices2:28082 - DTEDomain - Workspace Web Application
  WebLogic - Profitability2:6758 - DTEDomain - Profitability Web Application
  WebLogic - RaFramework2:45101 - DTEDomain - Reporting & Analysis Web Application

```

5. After configuration is complete:
  - a. Edit `Essbase.cfg` and add the line: `ORACLEHARDWAREACCELERATION TRUE`.
  - b. Return to the first instance and configure the Web server.
6. In each `EPM_ORACLE_INSTANCE/bin`, use `start.sh` to start all services.
7. Run EPM System Diagnostics to confirm that everything is in working order.

## Building a full Essbase, Financial Management, and Planning Release 11.1.2.3 Deployment on Oracle Exalytics In-Memory Machine

The best practice is to have Financial Management and Planning share one Foundation Services.

For this type of deployment, we recommend that you configure EPM System components on Oracle Exalytics and Windows as depicted in the following deployment report, with the addition of SOA, which needs to be deployed on Windows.

```

scl20048(epmsystem1 - Linux x64 - 8GB)
Essbase - EssbaseCluster-1 - Essbase1:1423
Essbase Studio Server - 9080
OHS - 19000
Reporting & Analysis Service - 6800 - GSM
Reporting & Analysis Service - 6814-6815 - DAS
Weblogic - EPMSysystem - AdminServer:7001 - Console
Weblogic - EPMSysystem - AnalyticProviderServices0:13080 - Essbase Provider Services Web Application
Weblogic - EPMSysystem - CalcMgr0:8500 - Calculation Manager Web Application
Weblogic - EPMSysystem - EpmaDataSync0:19101 - EPMA Data Synchronizer Web Application
Weblogic - EPMSysystem - EpmaWebReports0:19091 - EPMA Web Application
Weblogic - EPMSysystem - EssbaseAdminServices0:10080 - Essbase Administration Services Web Application
Weblogic - EPMSysystem - FoundationServices0:28080 - Shared Services Web Application
Weblogic - EPMSysystem - FoundationServices0:28080 - Workspace Web Application
Weblogic - EPMSysystem - HpsAlerter0:18081 - Performance Scorecard Alerter Web Application
Weblogic - EPMSysystem - HpsWebReports0:18080 - Performance Scorecard Web Reports Web Application
Weblogic - EPMSysystem - Planning0:8300 - Planning Web Application
Weblogic - EPMSysystem - Profitability0:6756 - Profitability Web Application
Weblogic - EPMSysystem - RaFramework0:45000 - Reporting & Analysis Web Application
scl34279 (epmsystem1 - Windows Server 2008 R2 - 16GB)
EPMA Dimension Server - 5251
Financial Data Quality Server - DCOM Ports
Financial Management Server - DCOM Ports - (Cluster1, sd34279)
IIS - 80 - EPMA IIS WebService
IIS - 80 - Financial Data Quality IIS Web Application
IIS - 80 - Financial Management IIS Web Application
IIS - 80 - Financial Management IIS Web Service
IIS - 80 - Financial Management Lifecycle Management IIS Web Application
IIS - 80 - Financial Management Smartview IIS Web Application
Reporting & Analysis Service - 6800 - GSM
Weblogic - soa_domain - AdminServer:7001 - Console
Weblogic - soa_domain - DisclosureManagement0:8600 - Disclosure Management Web Application
Weblogic - soa_domain - EpmaWebReports0:19091 - EPMA Web Application
Weblogic - soa_domain - ErpIntegrator0:6550 - ERPI Web Application
Weblogic - soa_domain - FinancialClose0:8700 - Account Reconciliation Web Application
Weblogic - soa_domain - FinancialClose0:8700 - Financial Close Web Application
Weblogic - soa_domain - FinancialReporting0:8200 - Financial Reporting Web Application
Weblogic - soa_domain - HFMWeb0:7363 - Financial Management Web Application
Weblogic - soa_domain - HFMWeb0:7363 - Financial Management Web Service
Weblogic - soa_domain - WebAnalysis0:16000 - Web Analysis Web Application

```

**Note:** For this deployment, you are required to apply patch 16831604 to both Windows and Oracle Exalytics machines.

The following section shows the deployment history for a full deployment:



scl20048 - 06/17/2013

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
00:27	00:00	Start	EPM Configurator
00:31	00:00	Configure	Hyperion Foundation
00:31	00:00	Configure Common Settings	Hyperion Foundation
00:31	00:09	Configure Oracle Configuration Manager	Hyperion Foundation
00:31	00:13	Configure Database	Hyperion Foundation
00:32	00:01	Register with Shared Services	Performance Management Architect
00:32	00:00	Configure	Performance Management Architect
00:32	00:00	Register with Shared Services	Essbase Studio
00:32	00:00	Configure	Essbase Studio
00:32	00:05	Configure Database	Essbase Studio
00:32	00:00	Configure	Calculation Manager
00:32	00:00	Register with Shared Services	Calculation Manager
00:32	00:05	Configure Database	Calculation Manager
00:32	00:00	Register with Shared Services	Essbase Administration Services
00:32	00:03	Configure Database	Essbase Administration Services
00:32	00:00	Configure Essbase Integration Services	Essbase Integration Services
00:32	00:00	Configure	Essbase
00:32	00:00	Configure	Essbase Integration Services
00:32	00:31	Register with Shared Services	Performance Scorecard
00:32	00:00	Register with Shared Services	Essbase
00:33	00:18	Configure Database	Performance Scorecard
00:33	00:00	Configure Attachment Files Location	Performance Scorecard
00:33	00:00	Configure	Planning
00:33	00:00	Register with Shared Services	Planning
00:33	00:03	Configure Database	Planning
00:33	00:36	Configure Database	Profitability and Cost Management
00:33	00:00	Register with Shared Services	Profitability and Cost Management
00:33	00:00	Configure	Profitability and Cost Management
00:34	00:09	Configure	Reporting and Analysis
00:34	00:04	Register with Shared Services	Reporting and Analysis
00:34	01:06	Configure Database	Reporting and Analysis
00:35	00:11	Configure Framework Services	Reporting and Analysis
00:35	00:04	Configure Reporting and Analysis Services	Reporting and Analysis
00:35	04:41	Deploy to Application Server	Shared Services Web Application
00:40	00:00	Deploy to Application Server	EPMA Data Synchronizer Web Application
00:40	00:00	Deploy to Application Server	EPMA Web Application
00:40	00:00	Deploy to Application Server	Calculation Manager Web Application
00:40	00:00	Deploy to Application Server	Essbase Administration Services Web Application
00:40	00:00	Deploy to Application Server	Performance Scorecard Alerts Web Application
00:40	00:00	Deploy to Application Server	Performance Scorecard Web Reports Web Application
00:40	00:01	Deploy to Application Server	Planning Web Application
00:40	00:00	Deploy to Application Server	Workspace Web Application
00:40	00:00	Deploy to Application Server	Profitability Web Application
00:40	00:00	Deploy to Application Server	Reporting & Analysis Web Application
00:40	00:00	Deploy to Application Server	Web Analysis Web Application
00:40	00:05	Configure Essbase Server	Essbase
00:40	00:00	Processing Re-registration Script	Profitability and Cost Management
00:40	00:00	Processing Re-registration Script	Reporting and Analysis
00:40	01:03	Configure Web Server	Hyperion Foundation

**scl34279 - 06/17/2013**

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
02:21	00:00	Start	EPM Configurator
02:32	00:00	Configure	Hyperion Foundation
02:32	00:06	Configure Common Settings	Hyperion Foundation
02:33	01:04	Configure Oracle Configuration Manager	Hyperion Foundation
02:34	00:03	Configure Database	Hyperion Foundation
02:34	00:02	Register with Shared Services	ERP Integrator
02:34	01:02	Configure Database	ERP Integrator
02:35	00:05	Configure	Performance Management Architect
02:35	00:22	Configure Database	Performance Management Architect
02:35	00:13	Create EPMA Virtual Directory	Performance Management Architect
02:36	00:01	Configure	Disclosure Management
02:36	00:00	Register with Shared Services	Disclosure Management
02:36	00:17	Configure Database	Disclosure Management
02:36	00:00	Configure	FDM
02:36	00:21	Configure FDM Web Application	FDM
02:36	00:01	Configure FDM Server	FDM
02:37	00:00	Configure	Financial Close Management
02:37	00:00	Register with Shared Services	Financial Close Management
02:37	00:56	Configure Database	Financial Close Management
02:38	00:00	Configure Content Management System Location	Financial Close Management
02:38	00:00	Configure	Account Reconciliation
02:38	00:00	Register with Shared Services	Account Reconciliation
02:38	00:30	Configure Database	Account Reconciliation
02:38	00:00	Configure Content Management System Location	Account Reconciliation
02:38	00:00	Configure	Reporting and Analysis
02:38	00:04	Configure Database	Reporting and Analysis
02:38	00:40	Configure Framework Services	Reporting and Analysis
02:39	00:00	Configure	Financial Reporting
02:39	00:02	Configure Database	Financial Reporting
02:39	00:00	Configure Financial Reporting RMI Ports	Financial Reporting
02:39	01:06	Configure	Financial Management
02:40	00:00	Register with Shared Services	Financial Management
02:40	00:09	Configure DCOM	Financial Management
02:40	00:18	Configure Database	Financial Management
02:41	00:04	Configure Application Server	Financial Management
02:41	00:00	Configure Application Cluster	Financial Management
02:41	00:44	Configure Web Server	Financial Management
02:42	09:28	Deploy to Application Server	ERPI Web Application
02:51	00:00	Deploy to Application Server	EPMA Web Application
02:51	00:00	Deploy to Application Server	Disclosure Management Web Application
02:51	00:00	Deploy to Application Server	Financial Close Management Web Application
02:51	00:00	Deploy to Application Server	Account Reconciliation Management Web Application
02:51	00:00	Deploy to Application Server	Web Analysis Web Application
02:51	00:00	Deploy to Application Server	Financial Reporting Web Application
02:51	00:00	Deploy to Application Server	Financial Management Web Application
02:51	00:00	Deploy to Application Server	Financial Management Web Service
02:51	00:00	Processing Re-registration Script	Reporting and Analysis

**scl34279 - 06/17/2013**

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
03:31	00:00	Stop	EPM Configurator
03:41	00:00	Start	EPM Configurator
03:42	01:09	Deploy to SOA	Financial Close Management
03:44	00:11	Deploy to SOA	Account Reconciliation
03:44	00:07	Deploy to SOA for ERPI	Account Reconciliation

scl20048 - 06/17/2013

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
03:50	01:03	Configure Web Server	Hyperion Foundation

## Supported EPM System Release 11.1.2.x Products and the Deployment Model for Oracle Exalytics In-Memory Machine T5-8 with Solaris

All EPM System products supported on Oracle Exalytics In-Memory Machine with Oracle Linux are supported on Oracle Exalytics In-Memory Machine T5-8, and have the same deployment model, with the exception of Oracle Hyperion Financial Close Management, which is not supported on Solaris.

## Using Planning Release 11.1.2.3 on Oracle Exalytics In-Memory Machine T5-8

The following Planning Suite components are certified to run on Oracle Exalytics In-Memory Machine T5-8:

- Essbase Server
- Oracle HTTP Server
- Provider Services
- Calculation Manager
- Oracle Essbase Administration Server
- Shared Services
- EPM Workspace
- Oracle Hyperion Planning
- Financial Reporting
- Web Analysis

For complete list of certified EPM System components on Oracle Exalytics In-Memory Machine T5-8, see the Certification Matrix located at <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

To build a vertically clustered Planning Suite solution on Oracle Exalytics In-Memory Machine T5-8:

1. Use EPM System Installer Release 11.1.2.3 to install the following components:
  - Foundation Services Web applications

- Calculation Manager Web application
- Essbase Administration Services Web application
- Provider Services Web application
- Reporting and Analysis Framework Services and Web application
- Planning Web application
- Financial Reporting Web application
- Essbase Server
- Oracle HTTP Server

**Note:** You must install these components in a different Middleware Home from the Oracle BI EE software, if already installed on the machine.

2. Download and apply EPM System patch 16831604.
3. For the first instance, use EPM System Configurator to create a new domain and instance, and deploy the components you installed.
4. When configuring the second and subsequent instances on this machine:
  - a. Specify a unique instance folder that does not duplicate existing instances on the server.
  - b. Use the same Shared Services Registry database.
  - c. Use the same domain.
  - d. For each of the following Web applications, review the ports to ensure that they do not conflict with any other applications. Oracle Hyperion Enterprise Performance Management System Configurator automatically configures them so they do not conflict with other instances that are already configured.
    - Calculation Manager Web application
    - Essbase Administration Services Web application
    - Provider Services Web application
    - Reporting and Analysis Framework Web application
    - Planning Web application

The Planning RMI port stays the same, so it does not need to change for additional clusters.

- Financial Reporting Web application

Change the port range field settings on the Financial Reporting – Configure RMI Ports panel in EPM System Configurator.

The following port ranges should not be used: 9500 – 9999, 53396 – 53397. These ports are used by default in Oracle BI EE deployments.

After configuration, the deployment report should look something like this:

**myServer.myDomain (epmsystem1 - Solaris 11 x64 - 2048 GB - 512 Cores)**

Essbase (EssbaseCluster-1):1423,32768-33768

Foundation Agent - Reporting and Analysis Framework:6800-6805,6860,6861

OHS:19000

Planning RMI Registry:11333

WebLogic - AdminServer:7001 - EPMSystem - Console

WebLogic - AnalyticProviderServices0:13080 - EPMSystem - Essbase Provider Services Web Application

WebLogic - CalcMgr0:8500 - EPMSystem - Calculation Manager Web Application

WebLogic - EssbaseAdminServices0:10080 - EPMSystem - Essbase Administration Services Web Application

WebLogic - FinancialReporting0:8200 - EPMSystem - Financial Reporting Web Application

WebLogic - FoundationServices0:28080 - EPMSystem - Shared Services Web Application

WebLogic - FoundationServices0:28080 - EPMSystem - Workspace Web Application

WebLogic - Planning0:8300 - EPMSystem - Planning Web Application

WebLogic - RaFramework0:45000 - EPMSystem - Reporting & Analysis Web Application

WebLogic - WebAnalysis0:16000 - EPMSystem - Web Analysis Web Application

**myServer.myDomain (epmsystem2 - Solaris 11 x64 - 2048 GB - 512 Cores)**

Foundation Agent - Reporting and Analysis Framework:6806-6811,6862,6863

WebLogic - AnalyticProviderServices1:13081 - EPMSystem - Essbase Provider Services Web Application

WebLogic - CalcMgr1:8501 - EPMSystem - Calculation Manager Web Application

WebLogic - EssbaseAdminServices1:10081 - EPMSystem - Essbase Administration Services Web Application

WebLogic - FinancialReporting1:8201 - EPMSystem - Financial Reporting Web Application

WebLogic - FoundationServices1:28081 - EPMSystem - Shared Services Web Application

WebLogic - FoundationServices1:28081 - EPMSystem - Workspace Web Application

WebLogic - Planning1:8301 - EPMSystem - Planning Web Application

WebLogic - RaFramework1:45001 - EPMSystem - Reporting & Analysis Web Application

WebLogic - WebAnalysis1:16100 - EPMSystem - Web Analysis Web Application

**myServer.myDomain (epmsystem3 - Solaris 11 x64 - 2048 GB - 512 Cores)**

Foundation Agent - Reporting and Analysis Framework:6812-6817,6864,6865

WebLogic - AnalyticProviderServices2:13082 - EPMSystem - Essbase Provider Services Web Application

WebLogic - CalcMgr2:8502 - EPMSystem - Calculation Manager Web Application

WebLogic - EssbaseAdminServices2:10082 - EPMSystem - Essbase Administration Services Web Application

WebLogic - FinancialReporting2:8202 - EPMSystem - Financial Reporting Web Application

WebLogic - FoundationServices2:28082 - EPMSystem - Shared Services Web Application

WebLogic - FoundationServices2:28082 - EPMSystem - Workspace Web Application

WebLogic - Planning2:8302 - EPMSystem - Planning Web Application

WebLogic - RaFramework2:45002 - EPMSystem - Reporting & Analysis Web Application

WebLogic - WebAnalysis2:16101 - EPMSystem - Web Analysis Web Application

5. After configuration is complete:
  - a. Edit `Essbase.cfg` and add the line: `ORACLEHARDWAREACCELERATION TRUE`.
  - b. Return to the first instance and configure the Web server.
6. In each `EPM_ORACLE_INSTANCE/bin`, use `start.sh` to start all services.
7. Run EPM System Diagnostics to confirm that everything is in working order.

# EPM System Release 11.1.2.2 on Oracle Exalytics In-Memory Machine

## EPM System Release 11.1.2.2 Certification on Oracle Exalytics In-Memory Machine

All Oracle Enterprise Performance Management System Release 11.1.2.2 components that are supported on the Linux platform have been certified on Oracle Exalytics In-Memory Machine.

The components supported on Oracle Exalytics include Planning, Public Sector Planning and Budgeting, Workforce Planning, Capital Asset Planning, Performance Scorecard, Profitability and Cost Management, Financial Close Management, Disclosure Management, ERP Integrator, Essbase, Financial Reporting, Interactive Reporting, Web Analysis, and SQR Production Reporting.

**Note:** Financial Reporting, Web Analysis, ERP Integrator, Account Reconciliation, Financial Close Management, Disclosure Management, and SOA are supported only on the Windows platform when used with Financial Management.

For specific details about individual components, please refer to the *System Requirements and Supported Platforms for Oracle Enterprise Performance Management System*, available on the [Oracle Fusion Middleware Supported System Configurations](#) page.

## Using Planning Release 11.1.2.2 on Oracle Exalytics In-Memory Machine

The following Planning Suite components are certified to run on Oracle Exalytics In-Memory Machine:

- Oracle Essbase Server
- Oracle HTTP Server
- Oracle Hyperion Provider Services
- Oracle Hyperion Calculation Manager
- Oracle Essbase Administration Server
- Oracle Hyperion Shared Services
- Oracle Hyperion Enterprise Performance Management Workspace
- Oracle Hyperion Planning
- Oracle Hyperion Financial Reporting
- Oracle Hyperion Web Analysis

For complete list of certified EPM System components on Oracle Exalytics, see the Certification Matrix located at <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

To build a vertically clustered Planning Suite solution on Oracle Exalytics:

1. Use EPM System Installer to install the following components:
  - Foundation Services Web applications
  - Calculation Manager Web application
  - Essbase Administration Services Web application
  - Provider Services Web application
  - Reporting and Analysis Framework services and Web application
  - Planning Web application
  - Financial Reporting Web application
  - Essbase Server
  - Oracle HTTP Server

**Note:** You must install these components in a different Middleware Home from the Oracle Business Intelligence Enterprise Edition software, if already installed on the machine.

2. Download and apply the EPM System PSE 16618029.
3. For the first instance, use EPM System Configurator to create a new domain and instance, and deploy the components you installed.
4. When configuring the second and subsequent instances on this machine:
  - a. Specify a unique instance folder that does not duplicate existing instances on the server.
  - b. Use the same Shared Services Registry database.
  - c. Use the same domain.
  - d. For each of the following Web applications, ensure that the ports are unique from other instances that are already configured.
    - Calculation Manager Web application
    - Essbase Administration Services Web application
    - Provider Services Web application
    - Reporting and Analysis Framework Web application
    - Planning Web application

The Planning RMI port stays the same, so it does not need to change for additional clusters.

    - Financial Reporting Web application

Change the port range field settings on the Financial Reporting – Configure RMI Ports panel in EPM System Configurator.

The following port ranges should not be used: 9500 – 9999, 53396 – 53397. These ports are used by default in Oracle BI EE deployments.

After configuration, the configuration history section of the deployment report should look something like this:

```

slck24005 (instance3 - Linux x64 - 1010GB)
Weblogic - DTEDomain - AnalyticProviderServices2:13120 - Essbase Provider Services Web Application
Weblogic - DTEDomain - CalcMgr2:8540 - Calculation Manager Web Application
Weblogic - DTEDomain - EssbaseAdminServices2:10120 - Essbase Administration Services Web Application
Weblogic - DTEDomain - FinancialReporting2:8240 - Financial Reporting Web Application
Weblogic - DTEDomain - FoundationServices2:28120 - Shared Services Web Application
Weblogic - DTEDomain - FoundationServices2:28120 - Workspace Web Application
Weblogic - DTEDomain - Planning2:8340 - Planning Web Application
Weblogic - DTEDomain - RaFramework2:45040 - Reporting & Analysis Web Application
Weblogic - DTEDomain - WebAnalysis2:16040 - Web Analysis Web Application
slck24005 (instance2 - Linux x64 - 1010GB)
Weblogic - DTEDomain - AnalyticProviderServices1:13100 - Essbase Provider Services Web Application
Weblogic - DTEDomain - CalcMgr1:8520 - Calculation Manager Web Application
Weblogic - DTEDomain - EssbaseAdminServices1:10100 - Essbase Administration Services Web Application
Weblogic - DTEDomain - FinancialReporting1:8220 - Financial Reporting Web Application
Weblogic - DTEDomain - FoundationServices1:28100 - Shared Services Web Application
Weblogic - DTEDomain - FoundationServices1:28100 - Workspace Web Application
Weblogic - DTEDomain - Planning1:8320 - Planning Web Application
Weblogic - DTEDomain - RaFramework1:45020 - Reporting & Analysis Web Application
Weblogic - DTEDomain - WebAnalysis1:16020 - Web Analysis Web Application
slck24005 (instance1 - Linux x64 - 1010GB)
Essbase - EssbaseCluster-1 - Essbase1:24222
OHS - 29111
Reporting & Analysis Service - 5800 - GSM
Reporting & Analysis Service - 5814-5815 - DAS
Weblogic - DTEDomain - AdminServer:27111 - Console
Weblogic - DTEDomain - AnalyticProviderServices0:13320 - Essbase Provider Services Web Application
Weblogic - DTEDomain - CalcMgr0:8740 - Calculation Manager Web Application
Weblogic - DTEDomain - EssbaseAdminServices0:10320 - Essbase Administration Services Web Application
Weblogic - DTEDomain - FinancialReporting0:8440 - Financial Reporting Web Application
Weblogic - DTEDomain - FoundationServices0:28240 - Shared Services Web Application
Weblogic - DTEDomain - FoundationServices0:28240 - Workspace Web Application
Weblogic - DTEDomain - Planning0:18540 - Planning Web Application
Weblogic - DTEDomain - RaFramework0:45240 - Reporting & Analysis Web Application
Weblogic - DTEDomain - WebAnalysis0:16240 - Web Analysis Web Application

```

5. After configuration is complete:
  - a. Edit `Essbase.cfg` and add the line: `ORACLEHARDWAREACCELERATION TRUE`.
  - b. Return to the first instance and configure the Web server.
6. In `EPM_ORACLE_INSTANCE/bin`, use `start.sh` to start all services.
7. Run EPM System Diagnostics to confirm that everything is in working order.
8. If additional instances of Reporting and Analysis services are needed, use the configuration management functionality to scale it out.
  - a. Log in to EPM Workspace as an administrator.
  - b. Select **Navigate**, then **Administer**, then **Reporting and Analysis**, and then **Services**.
  - c. Right-click an agent for a Reporting and Analysis Framework service, and select **Copy**.
  - d. Enter a name and port range for the new configuration, and then click **OK**.



## Using Profitability and Cost Management Release 11.1.2.2 on Oracle Exalytics In-Memory Machine

The following Profitability and Cost Management components are certified to run on Oracle Exalytics In-Memory Machine:

- Oracle Essbase Server
- Oracle HTTP Server
- Oracle Hyperion Provider Services
- Oracle Essbase Administration Server
- Oracle Hyperion Shared Services
- Oracle Hyperion EPM Workspace
- Oracle Hyperion Profitability and Cost Management
- Oracle Hyperion Financial Reporting

For complete list of certified EPM System components on Oracle Exalytics, see the Certification Matrix located at <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

To build a vertically clustered Profitability and Cost Management Suite solution on Oracle Exalytics:

1. Use EPM System Installer to install the following components:
  - Foundation Services Web applications
  - Essbase Administration Services Web application
  - Provider Services Web application
  - Reporting and Analysis Framework services and Web application
  - Profitability and Cost Management Web application
  - Financial Reporting Web application
  - Essbase Server
  - Oracle HTTP Server

**Note:** You must install these components in a different Middleware Home from the Oracle BI EE software, if already installed on the machine.

2. Download and apply Profitability and Cost Management PSU 11.1.2.2.350 (patch ID 14400123). Follow the patch readme instructions for detailed instructions. This patch enables Profitability and Cost Management to work without Enterprise Performance Management Architect in an Oracle Exalytics environment.

Download and apply the EPM System PSE 16618029.

3. For the first instance, use EPM System Configurator to create a new domain and instance, and deploy the components you installed.

4. When configuring the second and subsequent instances on this machine:
  - a. Specify a unique instance folder that does not duplicate existing instances on the server.
  - b. Use the same Shared Services Registry database.
  - c. Use the same domain.
  - d. For each of the following Web applications, ensure that the ports are unique from other instances that are already configured.
    - Essbase Administration Services Web application
    - Provider Services Web application
    - Reporting and Analysis Framework Web application
    - Profitability and Cost Management Web application
    - Financial Reporting Web application

Change the port range field settings on the Financial Reporting – Configure RMI Ports panel in EPM System Configurator.

The following port ranges should not be used: 9500 – 9999, 53396 – 53397. These ports are used by default in Oracle BI EE deployments.

After configuration, the configuration history section of the deployment report should look something like this:

```

slck24010.us.oracle.com (instance1 - Linux x64 - 1010 GB)
Essbase - EssbaseCluster-1 - Essbase1:14231
OHS - 29000
Reporting & Analysis Service - 16800 - GSM
Reporting & Analysis Service - 16814-16815 - DAS
WebLogic - DTEDomain - AdminServer:7001 - Console
WebLogic - DTEDomain - AnalyticProviderServices0:13080 - Essbase Provider Services Web Application
WebLogic - DTEDomain - EssbaseAdminServices0:10080 - Essbase Administration Services Web Application
WebLogic - DTEDomain - FinancialReporting0:8200 - Financial Reporting Web Application
WebLogic - DTEDomain - FoundationServices0:28080 - Shared Services Web Application
WebLogic - DTEDomain - FoundationServices0:28080 - Workspace Web Application
WebLogic - DTEDomain - Profitability0:6756 - Profitability Web Application
WebLogic - DTEDomain - RaFramework0:45000 - Reporting & Analysis Web Application
slck24010.us.oracle.com (instance2 - Linux x64 - 1010 GB)
WebLogic - DTEDomain - AnalyticProviderServices1:13180 - Essbase Provider Services Web Application
WebLogic - DTEDomain - EssbaseAdminServices1:10180 - Essbase Administration Services Web Application
WebLogic - DTEDomain - FinancialReporting1:8300 - Financial Reporting Web Application
WebLogic - DTEDomain - FoundationServices1:28180 - Shared Services Web Application
WebLogic - DTEDomain - FoundationServices1:28180 - Workspace Web Application
WebLogic - DTEDomain - Profitability1:6756 - Profitability Web Application
WebLogic - DTEDomain - RaFramework1:45100 - Reporting & Analysis Web Application
slck24010.us.oracle.com (instance3 - Linux x64 - 1010 GB)
WebLogic - DTEDomain - AnalyticProviderServices2:13280 - Essbase Provider Services Web Application
WebLogic - DTEDomain - EssbaseAdminServices2:10280 - Essbase Administration Services Web Application
WebLogic - DTEDomain - FinancialReporting2:8400 - Financial Reporting Web Application
WebLogic - DTEDomain - FoundationServices2:28280 - Shared Services Web Application
WebLogic - DTEDomain - FoundationServices2:28280 - Workspace Web Application
WebLogic - DTEDomain - Profitability2:6956 - Profitability Web Application
WebLogic - DTEDomain - RaFramework2:45200 - Reporting & Analysis Web Application

```

5. After configuration is complete:
  - a. Edit `Essbase.cfg` and add the line: `ORACLEHARDWAREACCELERATION TRUE.`
  - b. Return to the first instance and configure the Web server.
6. In `EPM_ORACLE_INSTANCE/bin`, use `start.sh` to start all services.

7. Run EPM System Diagnostics to confirm that everything is in working order.
8. If additional instances of Reporting and Analysis services are needed, use the configuration management functionality to scale it out.
  - a. Log in to EPM Workspace as an administrator.
  - b. Select **Navigate**, then **Administer**, then **Reporting and Analysis**, and then **Services**.
  - c. Right-click an agent for a Reporting and Analysis Framework service, and select **Copy**.
  - d. Enter a name and port range for the new configuration, and then click **OK**.

## Customizing Java Web Application Settings

When using EPM System Configurator to deploy Java web applications, they do not start properly because EPM System Configurator defines too large of a heap size. Generally, EPM System Configurator calculates a maximum heap size of  $\frac{1}{4}$  of system memory.

To customize the Java web application settings to address this issue:

1. In `<EPM_ORACLE_INSTANCE>/bin/deploymentScripts`, locate the following scripts for each Java web application:  
`setCustomParams*.sh`, where `*` is replaced with each managed server name
2. In each `setCustomParams*.sh` script, update the following two `JAVA_OPTIONS` settings:
  - Update the `-Xmx` setting to be: `-Xmx60000m`
  - Update the `-XXcompressedRefs:size` setting to be: `-XXcompressedRefs:size=64GB`
3. Restart the Java web applications.

## Building a full Essbase, Financial Management, and Planning Release 11.1.2.2 Deployment on Oracle Exalytics In-Memory Machine

The best practice is to have Financial Management and Planning share one Foundation Services.

For this type of deployment, we recommend that you configure EPM System components on Oracle Exalytics and Windows as depicted in the following deployment report, with the addition of SOA, which needs to be deployed on Windows.

```

scl20048(epmsystem1 - Linux x64 - 8GB)
Essbase - EssbaseCluster-1 - Essbase1:1423
Essbase Studio Server - 9080
OHS - 19000
Reporting & Analysis Service - 6800 - GSM
Reporting & Analysis Service - 6814-6815 - DAS
Weblogic - EPMSysSystem - AdminServer:7001 - Console
Weblogic - EPMSysSystem - AnalyticProviderServices0:13080 - Essbase Provider Services Web Application
Weblogic - EPMSysSystem - CalcMgr0:8500 - Calculation Manager Web Application
Weblogic - EPMSysSystem - EpmaDataSync0:19101 - EPMA Data Synchronizer Web Application
Weblogic - EPMSysSystem - EpmaWebReports0:19091 - EPMA Web Application
Weblogic - EPMSysSystem - EssbaseAdminServices0:10080 - Essbase Administration Services Web Application
Weblogic - EPMSysSystem - FoundationServices0:28080 - Shared Services Web Application
Weblogic - EPMSysSystem - FoundationServices0:28080 - Workspace Web Application
Weblogic - EPMSysSystem - HpsAlerter0:18081 - Performance Scorecard Alerter Web Application
Weblogic - EPMSysSystem - HpsWebReports0:18080 - Performance Scorecard Web Reports Web Application
Weblogic - EPMSysSystem - Planning0:8300 - Planning Web Application
Weblogic - EPMSysSystem - Profitability0:6756 - Profitability Web Application
Weblogic - EPMSysSystem - RaFramework0:45000 - Reporting & Analysis Web Application
scl34279 (epmsystem1 - Windows Server 2008 R2 - 16GB)
EPMA Dimension Server - 5251
Financial Data Quality Server - DCOM Ports
Financial Management Server - DCOM Ports - (Cluster1, sd34279)
IIS - 80 - EPMA IIS WebService
IIS - 80 - Financial Data Quality IIS Web Application
IIS - 80 - Financial Management IIS Web Application
IIS - 80 - Financial Management IIS Web Service
IIS - 80 - Financial Management Lifecycle Management IIS Web Application
IIS - 80 - Financial Management Smartview IIS Web Application
Reporting & Analysis Service - 6800 - GSM
Weblogic - soa_domain - AdminServer:7001 - Console
Weblogic - soa_domain - DisclosureManagement0:8600 - Disclosure Management Web Application
Weblogic - soa_domain - EpmaWebReports0:19091 - EPMA Web Application
Weblogic - soa_domain - ErpIntegrator0:6550 - ERPI Web Application
Weblogic - soa_domain - FinancialClose0:8700 - Account Reconciliation Web Application
Weblogic - soa_domain - FinancialClose0:8700 - Financial Close Web Application
Weblogic - soa_domain - FinancialReporting0:8200 - Financial Reporting Web Application
Weblogic - soa_domain - HFMWeb0:7363 - Financial Management Web Application
Weblogic - soa_domain - HFMWeb0:7363 - Financial Management Web Service
Weblogic - soa_domain - WebAnalysis0:16000 - Web Analysis Web Application

```

**Note:** For this deployment, you are required to apply patch 16618029 to both Windows and Oracle Exalytics machines.

The following section shows the deployment history for a full deployment:

scl20048 - 06/17/2013

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
00:27	00:00	Start	EPM Configurator
00:31	00:00	Configure	Hyperion Foundation
00:31	00:00	Configure Common Settings	Hyperion Foundation
00:31	00:09	Configure Oracle Configuration Manager	Hyperion Foundation
00:31	00:13	Configure Database	Hyperion Foundation
00:32	00:01	Register with Shared Services	Performance Management Architect
00:32	00:00	Configure	Performance Management Architect
00:32	00:00	Register with Shared Services	Essbase Studio
00:32	00:00	Configure	Essbase Studio
00:32	00:05	Configure Database	Essbase Studio
00:32	00:00	Configure	Calculation Manager
00:32	00:00	Register with Shared Services	Calculation Manager
00:32	00:05	Configure Database	Calculation Manager
00:32	00:00	Register with Shared Services	Essbase Administration Services
00:32	00:03	Configure Database	Essbase Administration Services
00:32	00:00	Configure Essbase Integration Services	Essbase Integration Services
00:32	00:00	Configure	Essbase
00:32	00:00	Configure	Essbase Integration Services
00:32	00:31	Register with Shared Services	Performance Scorecard
00:32	00:00	Register with Shared Services	Essbase
00:33	00:18	Configure Database	Performance Scorecard
00:33	00:00	Configure Attachment Files Location	Performance Scorecard
00:33	00:00	Configure	Planning
00:33	00:00	Register with Shared Services	Planning
00:33	00:03	Configure Database	Planning
00:33	00:36	Configure Database	Profitability and Cost Management
00:33	00:00	Register with Shared Services	Profitability and Cost Management
00:33	00:00	Configure	Profitability and Cost Management
00:34	00:09	Configure	Reporting and Analysis
00:34	00:04	Register with Shared Services	Reporting and Analysis
00:34	01:06	Configure Database	Reporting and Analysis
00:35	00:11	Configure Framework Services	Reporting and Analysis
00:35	00:04	Configure Reporting and Analysis Services	Reporting and Analysis
00:35	04:41	Deploy to Application Server	Shared Services Web Application
00:40	00:00	Deploy to Application Server	EPMA Data Synchronizer Web Application
00:40	00:00	Deploy to Application Server	EPMA Web Application
00:40	00:00	Deploy to Application Server	Calculation Manager Web Application
00:40	00:00	Deploy to Application Server	Essbase Administration Services Web Application
00:40	00:00	Deploy to Application Server	Performance Scorecard Alerts Web Application
00:40	00:00	Deploy to Application Server	Performance Scorecard Web Reports Web Application
00:40	00:01	Deploy to Application Server	Planning Web Application
00:40	00:00	Deploy to Application Server	Workspace Web Application
00:40	00:00	Deploy to Application Server	Profitability Web Application
00:40	00:00	Deploy to Application Server	Reporting & Analysis Web Application
00:40	00:00	Deploy to Application Server	Web Analysis Web Application
00:40	00:05	Configure Essbase Server	Essbase
00:40	00:00	Processing Re-registration Script	Profitability and Cost Management
00:40	00:00	Processing Re-registration Script	Reporting and Analysis
00:40	01:03	Configure Web Server	Hyperion Foundation

**scl34279 - 06/17/2013**

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
02:21	00:00	Start	EPM Configurator
02:32	00:00	Configure	Hyperion Foundation
02:32	00:06	Configure Common Settings	Hyperion Foundation
02:33	01:04	Configure Oracle Configuration Manager	Hyperion Foundation
02:34	00:03	Configure Database	Hyperion Foundation
02:34	00:02	Register with Shared Services	ERP Integrator
02:34	01:02	Configure Database	ERP Integrator
02:35	00:05	Configure	Performance Management Architect
02:35	00:22	Configure Database	Performance Management Architect
02:35	00:13	Create EPMA Virtual Directory	Performance Management Architect
02:36	00:01	Configure	Disclosure Management
02:36	00:00	Register with Shared Services	Disclosure Management
02:36	00:17	Configure Database	Disclosure Management
02:36	00:00	Configure	FDM
02:36	00:21	Configure FDM Web Application	FDM
02:36	00:01	Configure FDM Server	FDM
02:37	00:00	Configure	Financial Close Management
02:37	00:00	Register with Shared Services	Financial Close Management
02:37	00:56	Configure Database	Financial Close Management
02:38	00:00	Configure Content Management System Location	Financial Close Management
02:38	00:00	Configure	Account Reconciliation
02:38	00:00	Register with Shared Services	Account Reconciliation
02:38	00:30	Configure Database	Account Reconciliation
02:38	00:00	Configure Content Management System Location	Account Reconciliation
02:38	00:00	Configure	Reporting and Analysis
02:38	00:04	Configure Database	Reporting and Analysis
02:38	00:40	Configure Framework Services	Reporting and Analysis
02:39	00:00	Configure	Financial Reporting
02:39	00:02	Configure Database	Financial Reporting
02:39	00:00	Configure Financial Reporting RMI Ports	Financial Reporting
02:39	01:06	Configure	Financial Management
02:40	00:00	Register with Shared Services	Financial Management
02:40	00:09	Configure DCOM	Financial Management
02:40	00:18	Configure Database	Financial Management
02:41	00:04	Configure Application Server	Financial Management
02:41	00:00	Configure Application Cluster	Financial Management
02:41	00:44	Configure Web Server	Financial Management
02:42	09:28	Deploy to Application Server	ERPI Web Application
02:51	00:00	Deploy to Application Server	EPMA Web Application
02:51	00:00	Deploy to Application Server	Disclosure Management Web Application
02:51	00:00	Deploy to Application Server	Financial Close Management Web Application
02:51	00:00	Deploy to Application Server	Account Reconciliation Management Web Application
02:51	00:00	Deploy to Application Server	Web Analysis Web Application
02:51	00:00	Deploy to Application Server	Financial Reporting Web Application
02:51	00:00	Deploy to Application Server	Financial Management Web Application
02:51	00:00	Deploy to Application Server	Financial Management Web Service
02:51	00:00	Processing Re-registration Script	Reporting and Analysis

**scl34279 - 06/17/2013**

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
03:31	00:00	Stop	EPM Configurator
03:41	00:00	Start	EPM Configurator
03:42	01:09	Deploy to SOA	Financial Close Management
03:44	00:11	Deploy to SOA	Account Reconciliation
03:44	00:07	Deploy to SOA for ERPI	Account Reconciliation

scl20048 - 06/17/2013

This table lists configuration history of activities on the specified date and server combination.

Start Time	Duration	Action	Component
03:50	01:03	Configure Web Server	Hyperion Foundation

## Supported EPM System Release 11.1.2.x Products and the Deployment Model for Oracle Exalytics In-Memory Machine T5-8 with Solaris

All products supported on Oracle Exalytics In-Memory Machine with Oracle Linux are supported on Oracle Exalytics In-Memory Machine T5-8, and have the same deployment model, with the exception of Oracle Hyperion Financial Close Management, which is not supported on Solaris.

## COPYRIGHT NOTICE

EPM System EPM System Release 11.1.2.x on Oracle Exalytics In-Memory Machine, 11.1.2

Copyright © 2013, 2014, Oracle and/or its affiliates. All rights reserved.

Updated: February 2014

Authors: EPM Information Development Team

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.